BRAIN RESEARCH

VOL. 536 NOS. 1/2 — CONTENTS — 17 DECEMBER 1990

Announcement from the Publisher v

Research Reports

Parvalbumin-immunoreactive neurons in the rat neostriatum: a light and electron microscopic study
H. Kita, T. Kosaka and C.W. Heizmann (U.S.A., Japan, Switzerland) 1

High oxygen atmosphere for neuronal cell culture with nerve growth factor. I. Primary culture of basal forebrain cholinergic neurons from fetal and postnatal rats
Y. Kushima, H., Tsukui, Y. Enokido, C. Nishio and H. Hatanaka (Japan) 16

High oxygen atmosphere for neuronal cell culture with nerve growth factor. II. Survival and growth of clonal rat pheochromocytoma PC12h cells
Y. Enokido and H. Hatanaka (Japan) 23

Splanchnic input to thoracic spinal neurons and its supraspinal modulation in the rat
E.W. Akeyson, M.M. Knuepfer and L.P. Schramm (U.S.A.) 30

Variation of tryptophan-5-hydroxylase concentration in the rat raphe dorsalis nucleus after *p*-chlorophenylalanine administration. I. A model to study the turnover of the enzymatic protein
F. Richard, J.L. Sanne, O. Bourde, D. Weissmann, M. Ehret, C. Cash, M. Maître and J.F. Pujol (France) 41

Variation of tryptophan-5-hydroxylase concentration in the rat raphe dorsalis nucleus after *p*-chlorophenylalanine administration. II. Anatomical distribution of the tryptophan-5-hydroxylase protein and regional variation of its turnover rate
D. Weismann, G. Chamba, L. Debure, C. Rousset, F. Richard, M. Maître and J.F. Pujol (France) 46

Effects of electrical stimulation of the central nucleus of the amygdala and the lateral hypothalamic area on the oval nucleus of the bed nuclei of the stria terminalis and its adjacent areas in the rat
Z.-S. Han and G. Ju (China) 56

Differential regulation of proenkephalin gene expression by estrogen in the ventromedial hypothalamus of male and female rats: implications for the molecular basis of a sexually differentiated behavior
G.J. Romano, C.V. Mobbs, A. Lauber, R.D. Howells and D.W. Pfaff (U.S.A.) 63

Modulation of cutaneous cortical evoked potentials during isometric and isotonic contractions in the monkey
W. Jiang, Y. Lamarre and C.E. Chapman (Canada) 69

Anatomical interconnections of the pedunculopontine tegmental nucleus and the nucleus prepositus hypoglossi in the cat
S. Higo, K. Ito, D. Fuchs and R.W. McCarley (U.S.A.) 79

Pharmacologic evidence for NMDA, APB and kainate/quisqualate retinotectal transmission in the isolated whole tectum of goldfish
E.B. van Deusen and R.L. Meyer (U.S.A.) 86

Bilateral interaction in the second somatosensory area (SII) of the cat and contribution of the corpus callosum
N. Picard, F. Lepore, M. Ptito and J.-P. Guillemot (Canada) 97

Tetanus during a high extracellular calcium pulse overrides the block of long-term potentiation seen at 20 °C in the hamster hippocampal slice
M.S. Krelstein and J.M. Horowitz (U.S.A.) 105

Distribution of μ, δ, and κ opioid receptors in the hypothalamus of the rat
G.C. Desjardins, J.R. Brawer and A. Beaudet (Canada) 114

Melanotropin receptors in the brain are differentially distributed and recognize both corticotropin and α-melanocyte stimulating hormone
J.B. Tatro (U.S.A.) 124

Vestibular site of action of hypothyroidism in the pigmented rat
D. Acuña, C. Aceves, B. Anguiano and G. Meza (Mexico) 133

Demonstration with [^{14}C]2-deoxyglucose of brain structures involved in the masticatory activity of the hedgehog (*Erinaceus europaeus*)
B. Chapotat, M. Stuart, C. Buda and A. Woda (France) 139

Involvement of a protein kinase C-dependent process in long-term potentiation formation in guinea pig superior colliculus slices
H. Tomita, Y. Shibata, T. Sakurai and Y. Okada (Japan) 146

Organization of visual cortical projections to fetal tectal transplants in rats: a study using multiple retrograde tracers
D.R. Worthington and A.R. Harvey (Australia) 153

In vivo changes in responsiveness of the caudate nucleus to L-DOPA infusion as a function of the estrous cycle
D.E. Dluzen and V.D. Ramirez (U.S.A.) 163

The adaptation of enkephalin, tachykinin and monoamine neurons of the basal ganglia following neonatal dopaminergic denervation is dependent on the extent of dopamine depletion
S.P. Sivam and J.E. Krause (U.S.A.) 169

Secondary hypotensive insults in a rat forebrain ischemia model
D.S. Warner, D.K. Reasoner, M.M. Todd and A. McAllister (U.S.A.) 176

Effects of kainic acid-induced seizures and ischemia on c-*fos*-like proteins in rat brain
T. Popovici, A. Represa, V. Crépel, G. Barbin, M. Beaudoin and Y. Ben-Ari (France) 183

The role of spinal cord 5-HT$_{1A}$ and 5-HT$_{1B}$ receptors in the modulation of a spinal nociceptive reflex
P.K. Eide, N.M. Jolly and K. Hole (Norway) 195

Anatomical mapping of brain sites involved in the antinociceptive effects of ketoprofen
R. de Beaurepaire, C. Suaudeau, A. Chait and C. Cimetière (France) 201

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

BRAIN RESEARCH

VOL. 536 NOS. 1/2 — CONTENTS — 17 DECEMBER 1990

Announcement from the Publisher v

Research Reports

Parvalbumin-immunoreactive neurons in the rat neostriatum: a light and electron microscopic study
H. Kita, T. Kosaka and C.W. Heizmann (U.S.A., Japan, Switzerland) 1

High oxygen atmosphere for neuronal cell culture with nerve growth factor. I. Primary culture of basal forebrain cholinergic neurons from fetal and postnatal rats
Y. Kushima, H., Tsukui, Y. Enokido, C. Nishio and H. Hatanaka (Japan) 16

High oxygen atmosphere for neuronal cell culture with nerve growth factor. II. Survival and growth of clonal rat pheochromocytoma PC12h cells
Y. Enokido and H. Hatanaka (Japan) 23

Splanchnic input to thoracic spinal neurons and its supraspinal modulation in the rat
E.W. Akeyson, M.M. Knuepfer and L.P. Schramm (U.S.A.) 30

Variation of tryptophan-5-hydroxylase concentration in the rat raphe dorsalis nucleus after *p*-chlorophenylalanine administration. I. A model to study the turnover of the enzymatic protein
F. Richard, J.L. Sanne, O. Bourde, D. Weissmann, M. Ehret, C. Cash, M. Maître and J.F. Pujol (France) 41

Variation of tryptophan-5-hydroxylase concentration in the rat raphe dorsalis nucleus after *p*-chlorophenylalanine administration. II. Anatomical distribution of the tryptophan-5-hydroxylase protein and regional variation of its turnover rate
D. Weismann, G. Chamba, L. Debure, C. Rousset, F. Richard, M. Maître and J.F. Pujol (France) 46

Effects of electrical stimulation of the central nucleus of the amygdala and the lateral hypothalamic area on the oval nucleus of the bed nuclei of the stria terminalis and its adjacent areas in the rat
Z.-S. Han and G. Ju (China) 56

Differential regulation of proenkephalin gene expression by estrogen in the ventromedial hypothalamus of male and female rats: implications for the molecular basis of a sexually differentiated behavior
G.J. Romano, C.V. Mobbs, A. Lauber, R.D. Howells and D.W. Pfaff (U.S.A.) 63

Modulation of cutaneous cortical evoked potentials during isometric and isotonic contractions in the monkey
W. Jiang, Y. Lamarre and C.E. Chapman (Canada) 69

Anatomical interconnections of the pedunculopontine tegmental nucleus and the nucleus prepositus hypoglossi in the cat
S. Higo, K. Ito, D. Fuchs and R.W. McCarley (U.S.A.) 79

Pharmacologic evidence for NMDA, APB and kainate/quisqualate retinotectal transmission in the isolated whole tectum of goldfish
E.B. van Deusen and R.L. Meyer (U.S.A.) 86

Bilateral interaction in the second somatosensory area (SII) of the cat and contribution of the corpus callosum
N. Picard, F. Lepore, M. Ptito and J.-P. Guillemot (Canada) 97

Tetanus during a high extracellular calcium pulse overrides the block of long-term potentiation seen at 20 °C in the hamster hippocampal slice
M.S. Krelstein and J.M. Horowitz (U.S.A.) 105

Distribution of μ, δ, and κ opioid receptors in the hypothalamus of the rat
G.C. Desjardins, J.R. Brawer and A. Beaudet (Canada) 114

Melanotropin receptors in the brain are differentially distributed and recognize both corticotropin and α-melanocyte stimulating hormone
J.B. Tatro (U.S.A.) 124

Vestibular site of action of hypothyroidism in the pigmented rat
D. Acuña, C. Aceves, B. Anguiano and G. Meza (Mexico) 133

Demonstration with [^{14}C]2-deoxyglucose of brain structures involved in the masticatory activity of the hedgehog (*Erinaceus europaeus*)
B. Chapotat, M. Stuart, C. Buda and A. Woda (France) 139

Involvement of a protein kinase C-dependent process in long-term potentiation formation in guinea pig superior colliculus slices
H. Tomita, Y. Shibata, T. Sakurai and Y. Okada (Japan) 146

Organization of visual cortical projections to fetal tectal transplants in rats: a study using multiple retrograde tracers
D.R. Worthington and A.R. Harvey (Australia) 153

In vivo changes in responsiveness of the caudate nucleus to L-DOPA infusion as a function of the estrous cycle
D.E. Dluzen and V.D. Ramirez (U.S.A.) 163

The adaptation of enkephalin, tachykinin and monoamine neurons of the basal ganglia following neonatal dopaminergic denervation is dependent on the extent of dopamine depletion
S.P. Sivam and J.E. Krause (U.S.A.) 169

Secondary hypotensive insults in a rat forebrain ischemia model
D.S. Warner, D.K. Reasoner, M.M. Todd and A. McAllister (U.S.A.) 176

Effects of kainic acid-induced seizures and ischemia on c-*fos*-like proteins in rat brain
T. Popovici, A. Represa, V. Crépel, G. Barbin, M. Beaudoin and Y. Ben-Ari (France) 183

The role of spinal cord 5-HT$_{1A}$ and 5-HT$_{1B}$ receptors in the modulation of a spinal nociceptive reflex
P.K. Eide, N.M. Jolly and K. Hole (Norway) 195

Anatomical mapping of brain sites involved in the antinociceptive effects of ketoprofen
R. de Beaurepaire, C. Suaudeau, A. Chait and C. Cimetière (France) 201

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

(contents continued)

Autoradiographic localization of estrogen-concentrating cells in the brain and pituitary of the oyster toadfish
M.L. Fine, D.A. Kaefer and H. Russel-Mergenthal (U.S.A.) 207
Effect of adrenergic agonists on glycogenolysis in primary cultures of astrocytes
K.V. Subbarao and L. Hertz (Canada) 220
Elevation of Met-enkephalin-like immunoreactivity in the rat striatum and globus pallidus following the focal injection of excitotoxins
B.B. Ruzicka and K. Jhamandas (Canada) 227
Levels of phospholipid catabolic intermediates, glycerophosphocholine and glycerophosphoethanolamine, are elevated in brains of Alzheimer's disease but not Down's syndrome patients
J.K. Blusztajn, I. López González-Coviella, M. Logue, J.H. Growdon and R.J. Wurtman (U.S.A.) 240
Effects of combined serotonin depletion and lesions of the nucleus basalis magnocellularis on acquisition of a complex spatial discrimination task in the rat
H.J. Normile, D.J. Jenden, D.M. Kuhn, W.A. Wolf and H.J. Altman (U.S.A.) 245
Reduction of Na^+ enhances phosphoinositide hydrolysis and differentiates the stimulatory and inhibitory responses to quisqualate in rat brain slices
R.S. Jope, X. Li, G.C. Ormandy, L. Song and M.B. Williams (U.S.A.) 251
Characteristics of periodontal mechanoreceptors reinnervated after freezing the inferior alveolar nerve
A.R. Loescher and P.P. Robinson (U.K.) 257
Influences of uniform and textured backgrounds on the impulse activity of neurons in area V1 of the alert macaque
S. Squatrito, Y. Trotter and G.F. Poggio (U.S.A.) 261
Classical conditioning induces CS-specific receptive field plasticity in the auditory cortex of the guinea pig
J.S. Bakin and N.M. Weinberger (U.S.A.) 271
Elevation of dopamine D_2 but not D_1 receptors in adult rat neostriatum after neonatal 6-hydroxydopamine denervation
K.M. Dewar, J.-J. Soghomonian, J.P. Bruno, L. Descarries and T.A. Reader (Canada, U.S.A.) 287

Short Communications

Episodic respiratory related discharge in turtle cranial motoneurons: in vivo and in vitro studies
M.A. Douse and G.S. Mitchell (U.S.A.) 297
Evidence for separate morphological classes of Renshaw cells in the cat's spinal cord
R.E.W. Fyffe (U.S.A.) 301
Direct evidence of conditioned fear-elicited enhancement of noradrenaline release in the rat hypothalamus assessed by intracranial microdialysis
H. Yokoo, M. Tanaka, M. Yoshida, A. Tsuda, T. Tanaka and K. Mizoguchi (Japan) 305
Biochemical and anatomical consequences of adult infraorbital nerve transection for serotonergic afferents within rat trigeminal subnuclei interpolaris and caudalis
B.G. Klein and W.D. Blaker (U.S.A.) 309
Normal somatotopy in SI of a tyrosinase-negative albino cat
P.E. Garraghty, J.D. Schall and J.H. Kaas (U.S.A.) 315
Brain implants in man do not break down the blood–brain barrier to dopamine and domperidone
C.G. Clough, E.R. Hitchcock, R.C. Hughes, B.T. Henderson and B.G. Kenny (U.K.) 318
Nerve growth factor receptor-like immunoreactivity in nerve fibers in the spinal and medullary dorsal horn of the adult monkey and cat: correlation with calcitonin gene-related peptide-like immunoreactivity
K. Fried, M. Risling, U. Arvidsson and S. Paulie (Sweden) 321
Target areas of presumed auditory projections from lateral and dorsolateral pontine nuclei to posterior cerebellar vermis in rat
C. Huang, L. Liu, P. Pettavel and R.H. Huang (U.S.A.) 327
Diurnal rhythm of neuropeptide Y-like immunoreactivity in the suprachiasmatic, arcuate and paraventricular nuclei and other hypothalamic sites
M. Jhanwar-Uniyal, B. Beck, C. Burlet and S.F. Leibowitz (U.S.A., France) 331
L-Carnitine prevents mitochondrial damage induced by octanoic acid in the rat choroid plexus
C.S. Kim, C.R. Roe and W.W. Ambrose (U.S.A.) 335
Rat brain cytochromes P-450: catalytic, immunochemical properties and inducibility of multiple forms
H.K. Anandatheerthavarada, S.K. Shankar and V. Ravindranath (India) 339
Distribution of galanin-immunoreactive nerve fibers in the rat nasal mucosa
Y. Matsuda, S. Inagaki, Y. Nakai and H. Takagi (Japan) 344
Systemic administration of thyrotropin-releasing hormone enhances striatal dopamine release in vivo
M.R. Kreutz, I.N. Acworth, H. Lehnert and R.J. Wurtman (F.R.G., U.S.A.) 347
Galanin inhibits insulin and corticosterone release after injection into the PVN
D.L. Tempel and S.F. Leibowitz (U.S.A.) 353

Author Index 358